

<u>Physical Property</u>	<u>ASTM Identification</u>	<u>Sales Specifications</u>
API Gravity @ 60°F	D 287	24.8 - 27.5
Specific Gravity @ 60°F	D 1298 or D 4052	0.890 - 0.905
Appearance	D 4176	Bright & Clear
Color, Saybolt	D 156	+ 28 min.
Composition, Volume % Total Aromatics	D 1319	98.0 min.
Distillation Range, °F	D 86	
IBP		350 min.
50%		381
DP		435 max.
Flash Point, °F	D 93	142 min.
Kauri-Butanol Number	D 1133	90 min.
Sulfur Content, ppm	D 3120	5 max.

CAS Number **64742-94-5**

California Bin Number **23**

* This product contains approximately 25 ppm BHT as added to the manufacturing site certified storage tank.

Revised 5/12/05

All tests were run under laboratory conditions, ASTM (where applicable) testing procedures. The data is intended as a general guide only and does not necessarily represent results that may be obtained elsewhere. The use of TOTAL Petrochemicals USA, Inc. products must be guided by the user's own methods for selection of property formulation. TOTAL Petrochemicals USA, Inc. disclaims any responsibility for misuse or misapplication of its products. TOTAL MAKES NO WARRANTY OF MERCHANTABILITY AND THERE IS NO WARRANTY THAT GOODS SUPPLIED SHALL BE FIT FOR ANY PARTICULAR PURPOSE. TOTAL's liability and customer's exclusive remedy for any claims arising out of sales of products are expressly limited at customer option to replacement charges thereon in respect to any material for which damage is claimed.